

FortiFone[™] IP Telephones

FON-380B, FON-480, FON-580, FON-C71, FON-H25, and FortiFone Softclient*

Whether you're looking for an entry level or executive style IP phone, stay connected to your calls with a FortiFone IP phone.

Each FortiFone is a feature-rich experience with high quality audio and dedicated keys for the most common features. The FortiFone experience offers a range of options from phones



that can be used in a hotel or waiting room, to phones that offer vivid color screens, with programmable line and extension appearances. Managing calls has never been easier. Stay connected with a complete office phone solution.

Key Features and Benefits

HD Quality Audio	What good is a phone if you can't hear your caller? That's why each of the FortiFones delivers crisp and clear audio through the handset and speaker.
Visual Notifications	Always be up to date on calls with easy-to-see missed call and voicemail notifications.
Key Appearances	Programmable key appearances on select models give you the power to not only monitor lines and extensions, but you can also program the keys for a number of features available on the FortiVoice.



FortiCall VoIP Phone Service

Highlights

Combined with the powerful features of the FortiVoice PBX, the FortiFone delivers more than just what you need, it gives you what you want.

- Call forwarding
- Voicemail notification
- One-touch transfers
- Do not disturb
- Conference calling
- Speed dial
- PoE (Power over Ethernet) support
- Auto-discovery for easy setup
- Bluetooth support on select models
- Cordless DECT models

DESK PHONES

FON-380B

The FON-380B is a mid-range IP phone designed from the ground up with the user in mind. The crystal clear audio and ease of use with the FortiVoice make this a fantastic phone for use while working from home or in the office.

- 10 dedicated feature keys
- 28 programmable appearance keys
- 3.5 inch color display screens
- Supports both on-premises or cloud solutions
- Configuration is simple and intuitive



FON-480

An enterprise IP phone designed from the ground up to be user-friendly and ready to keep you efficient on all calls.

- Premium audio quality in both handset and speaker
- 10 dedicated feature keys
- 45 programmable appearance keys
- 4.3 inch color display screen
- Built-in Bluetooth headset support
- Supports both on-premises or cloud solutions
- Configuration is simple and intuitive



FON-580

The FON-580 was designed for office professionals who need a powerful phone that delivers enhanced call control.

- Crystal clear HD audio on the handset and speakerphone
- 9 dedicated feature keys and
- Up to 106 programmable appearance keys
- 4.3 inch and 2× 3.5 inch color display screens
- Built-in Bluetooth support for greater connectivity



CONFERENCE PHONE

FON-C71

The FON-C71 is perfect for small and medium-sized conference rooms, supporting 20-foot and 360-degree voice pick up. This touch-sensitive HD conference phone offers you a great unified communication experience with clear and concise audio.

- Premium HD audio
- Four dedicated feature keys
- Full-duplex technology
- Noise and acoustic echo cancellation on the threemicrophone array
- 3.1 inch 248×120 pixel graphic display
- Connect your mobile phone or PC via Bluetooth



HOTEL PHONE



FON-H25

The FON-H25 is a customizable IP phone that feels right at home in a hotel room, waiting room, or in the office.

- High quality audio
- Six dedicated feature keys
- Six programmable keys to configure one-touch access for important calls
- Easily configured

SOFTCLIENT



FortiFone Softclient for Mobile

The FortiFone Softclient for mobile enhances your connection to the office, so you never miss an important call. Transform your mobile device into an extension connected to the FortiVoice phone system, giving you a truly unified communication experience as if you were actually in the office.

- Android and iOS support
- Answer, conference, hold, and transfer calls
- Call other extensions on the FortiVoice
- Visual voicemail
- Hands-free speaker phone option
- Message waiting and missed call notifications
- Five soft keys
- Four dedicated feature keys
- Supports headset use
- User-friendly intuitive interface



FortiFone Softclient for Desktop

The FortiFone Softclient for desktop keeps you moving efficiently throughout your day. As an app on your desktop computer you will be able to make and receive calls with ease, all controlled through a simple and intuitive interface.

- Windows and Mac support
- Answer, conference, hold, and transfer calls
- Call other extensions on the FortiVoice
- Visual voicemail
- Message waiting and missed call notifications
- Five soft keys
- Quick access to History, Contact, and Voicemail
- Supports headset use
- User-friendly intuitive interface

SPECIFICATIONS	L	Desktop	
	FON-380B	FON-480	FON-580
elephone Features			
lisplay	3.5" (480×320) color display	4.3" (480×272) color display	4.3" (480 × 272) + 2 × 3.5" (320 × 480) color displays
rogrammable phone keys	28	45	106
Line/ Extension/ Queue)			Δ
oft keys	4	4	
edicated feature keys	10 	10 Full dualau	9
peakerphone	Full duplex	Full duplex	Full duplex
acklit display	<u>()</u>	<u> </u>	
djustable phone angle			
eadset support	RJ22	RJ22/Bluetooth	RJ22/Bluetooth
edicated headset button		\odot	
all waiting	<u>⊘</u>	\odot	
essage waiting indicator	\odot	\bigcirc	
isual voicemail	<u></u>	\odot	<u> </u>
roup paging over speaker	\bigcirc	\bigcirc	
itercom over speaker	<u></u>	\odot	\odot
ultiple ring tones	\bigcirc	\bigcirc	<i></i> ⊘
hone book entries	Central	Central	Central
lissed call log			
eceived call log	Central	Central	Central
utgoing call log			
ternal IP extension support	\bigotimes	\bigotimes	
issed call indicator	\odot		\bigotimes
nscreen key labels	\bigcirc	\odot	\odot
ne-touch Feature Keys			
all recording			
ancel transfer			
onference	<u>⊘</u>	\odot	
o not disturb	\odot	\odot	
old	\odot	\odot	
tercom paging	\bigcirc	\odot	
ne-touch blind transfer	<u>⊘</u>	\odot	
ark	\odot	\odot	
edial	\bigcirc	\odot	
peed dial	\odot	\odot	\odot
rade calls	\bigcirc	\odot	
ransfer	\odot	\odot	\odot
oicemail	\odot	\odot	\odot
etwork Features			
ower over Ethernet (802.3af)	\bigcirc	\odot	\odot
thernet ports	2× 10/100/1000	2× 10/100/1000	2× 10/100/1000
uto-discovery of FortiVoice system on LAN	\odot	\odot	\odot
DAP	\bigcirc	\bigcirc	\bigcirc
_DP	\bigcirc	\odot	\bigcirc
02.1q – VLAN	\odot	\odot	\odot
oS L2 802.1p	\bigcirc	\odot	\bigcirc
oS L3 DSCP	\odot	\odot	\odot
02.1x – Network access control	\odot	\bigcirc	\odot
HCP client	\bigcirc	\odot	\bigcirc
NTP client	$\overline{\oslash}$	$\overline{\oslash}$	$\overline{\oslash}$
IP (RFC 3261)	\bigcirc	$\overline{\bigcirc}$	$\overline{\oslash}$
IP over UDP	\bigcirc	\bigcirc	\bigotimes
IP over TCP	\bigcirc	<u>9</u>	\odot
	~	~	\odot
IP over TLS	(\checkmark)	(~)	
IP over TLS TCP	 Ø	⊗ ⊘	

SPECIFICATIONS

	Desktop		
	FON-380B	FON-480	FON-580
/anagement			
FTP			\bigcirc
ITTP	\bigcirc	\bigcirc	\bigcirc
ITTPS	\odot	\bigcirc	\bigotimes
Option 66	\bigcirc	\bigcirc	\bigotimes
Veb management portal	U	U	U
Backup/Restore	\bigcirc	\odot	\bigcirc
iyslog	\odot	\bigotimes	\bigotimes
udio Features	<u> </u>	<u> </u>	<u> </u>
ID voice	\bigcirc	\odot	\bigcirc
5.711u	\odot	\odot	\odot
5.711a	\odot	<u></u> Ø	\odot
		\bigcirc	
5.723.1 5.729a	\bigcirc	\bigcirc	<u> </u>
	<u> </u>		<u> </u>
.722	\odot	\bigotimes	\bigcirc
.726	\bigotimes	\odot	\bigcirc
pus	\bigcirc	\odot	\odot
I.263, H.264 video codec upport			
oice activity detection /AD)	 	<i>⊗</i>	<i></i>
omfort noise generation CNG)	⊘		
daptive jitter buffer	500 ms	500 ms	500 ms
TMF in-band	\odot	\odot	\odot
TMF out-of-band RFC2833)	⊘		⊘
TMF via SIP info	\odot	\odot	\odot
peration			
umidity	10%–95%	10%–95%	10%–95%
emperature	0°-45°C	0°-45°C	0°-45°C
ower class	3	3	3
ower consumption	11.2 watts	8.1 watts	9 watts
splay Languages			
nglish	\odot	\odot	\odot
rench	\bigcirc	\odot	\odot
panish	\bigcirc	\odot	\odot
hinese – Simplified			
hinese – Traditional			
zech			
utch			
erman			
ebrew			
alian			
apanese			
olish			
ortuguogo			
ortuguese ussian			

SPECIFICATIONS	└─Conference─┐	r-Hotel-	Softclient	
	FON-C71	FON-H25	SOFTCLIENT MOBILE	SOFTCLIENT DESKTOP
lephone Features				
splay	3.1" (248×120) color display			
oft keys	4	6	6	5
edicated feature keys	4	6	4	4
peakerphone	Full duplex	Full duplex	\odot	
icklit display	\odot		\bigcirc	\odot
djustable phone angle				
eadset support			\bigcirc	\oslash
edicated headset button				
all waiting	\bigcirc	\bigcirc	\odot	\bigcirc
essage waiting indicator	$\overline{\bigcirc}$	\bigcirc	$\overline{\bigcirc}$	\bigotimes
sual Voicemail	<u> </u>		$\overline{\bigcirc}$	\oslash
oup paging over speaker	\bigcirc		<u> </u>	
tercom over speaker	\bigcirc			
	\odot			
ultiple ring tones	1000			
none book entries	1000		Unlimited	
all logs: Missed, Received, Outgoing	100 each		(phone memory dependent)	Central
kternal IP extension support	\bigcirc		\bigcirc	\bigcirc
issed call indicator	<u>o</u>		\bigcirc	<u>0</u>
nscreen key labels	\bigotimes		<u> </u>	
ne-touch Feature Keys	\bigcirc			
all recording	\bigcirc			
	 Ø			
ancel transfer	\smile		\bigcirc	\bigcirc
onference				
o not disturb	\bigotimes		\odot	\bigotimes
roup paging			~	~
old	(\bigcirc	\bigcirc
tercom paging				
ne-touch blind transfer				\bigcirc
ark				
ickup specific extension				
edial	\bigcirc	\bigcirc		
peed dial				
ade calls	\bigcirc		\bigcirc	\odot
ansfer	\bigcirc	\bigcirc	\bigcirc	\bigcirc
bicemail	\bigcirc	\bigcirc	\bigcirc	\bigcirc
etwork Features	<u> </u>	<u> </u>	5	5
ower over Ethernet (802.3af)	\bigcirc	\bigcirc		
thernet ports	1× 10/100	2× 10/100		
uilt in WiFi	\bigotimes	,		
uto-discovery of FortiVoice system	\odot	\bigcirc		
1 LAN	Ċ	Ü		
DAP	\bigcirc			
DP	\bigotimes	\bigcirc		
02.1q – VLAN	\odot	\bigcirc		
oS L2 802.1p	\odot	\bigcirc		
os L3 DSCP	\oslash	\odot		
02.1x – Network access control	\odot	\bigcirc		
ICP client	\odot	\odot		
ITP client	~			
		\odot	\frown	\frown
P (RFC 3261)	\bigotimes	\odot		\bigotimes
P over UDP	\bigotimes	\bigcirc	\bigcirc	
P over TCP	\bigotimes		\odot	
P over TLS	\bigcirc	\bigcirc	\odot	
СР				
RTP	\odot	\bigcirc	\odot	
				\bigtriangledown

SPECIFICATIONS

	⊢Conference ⊣	Hotel —	Softe	client
	FON-C71	FON-H25	SOFTCLIENT MOBILE	SOFTCLIENT DESKTOP
Management				
TFTP	\odot	\odot		
НТТР	\bigotimes	$\overline{\oslash}$		\bigcirc
HTTPS	\bigotimes	\bigotimes	\bigcirc	\odot
Option 66	\bigotimes	$\overline{\oslash}$		$\overline{\oslash}$
Web management portal	\bigotimes	\bigotimes		
Backup/Restore	\bigotimes	$\overline{\oslash}$		
Syslog	\bigotimes	\bigotimes		\odot
Audio Features	0	0		0
HD voice	\odot	\odot		
G.711u	\odot	\odot	\bigcirc	\odot
G.711a	\odot	\odot	<u>U</u>	<u>U</u>
G.723.1		<u>U</u>		
G.729a	\bigcirc	<u>U</u>	\bigcirc	
G.722	\odot	\odot	\odot	\odot
G.726	\odot	\odot	\odot	<u> </u>
Opus				\odot
H.263, H.264 video codec support				<u> </u>
Voice activity detection (VAD)	\bigcirc	\odot		\bigcirc
Comfort noise generation (CNG)	<u>U</u>	\odot	\bigcirc	\odot
Adaptive jitter buffer	300 ms	300 ms	200 ms	Dynamic
DTMF in-band	\bigotimes	\bigotimes	\bigcirc	\odot
DTMF out-of-band (RFC2833)	\odot		\odot	\odot
DTMF via SIP info	<u>0</u>	<u>U</u>	<u>U</u>	<u>U</u>
Operation	Ŭ	U	Ŭ	Ŭ
	10%-95%	10%-65%		
Humidity	-10°-40°C	0°-40°C		
Temperature Power class	0	2		
Power class Power consumption	8.0 watts	2.0 watts		
	0.0 Watts	2.0 Watts		
Display Languages	\sim			\sim
English			\bigcirc	\odot
French	<u>©</u>			
Spanish	\bigotimes			
Chinese – Simplified				
Chinese – Traditional				
Catalan				
Czech				
Dutch				
Euskara				
Galego	~			
German	\bigotimes			
Hebrew	\sim			
Italian	\bigotimes			
Japanese				
Magyar	~			
Polish				
Portuguese				
Russian	⊘			
Slovenian	~			
Turkish	\bigcirc			

ORDER INFORMATION

PRODUCT	SKU	DESCRIPTION
Desktop Phones		
FortiFone FON-380B	FON-380B	Mid range IP Phone with 3.5" color screen, 28 programmable keys, PoE and 10/100/1000 LAN and PC connections.
	FC-10-FF380B-247-02-DD	FortiCare Premium Support.
FortiFone FON-480	FON-480	High end IP Phone with 4.3" color screen, 45 programmable keys, built-in Bluetooth, PoE and 10/100/1000 LAN and PC connections.
	FC-10-FF480-247-02-DD	FortiCare Premium Support.
FortiFone FON-580	FON-580	High end IP phone with 4.3" and dual 3.5" color screens, 106 programmable keys, POE and 10/100/1000 LAN and PC connections.
	FC-10-FF580-247-02-DD	FortiCare Premium Support.
Conference Phone		
FortiFone FON-C71	FON-C71	IP conference phone for small and medium-sized conference rooms with noise and acoustic echo cancelling, 20-foot and 360-degree voice pickup, call recording, build-in Wi-Fi & Bluetooth and linkage to mobile phones or PCs.
	FC-10-FFC71-247-02-DD	FortiCare Premium Support.
Hotel Phone		
FortiFone FON-H25	FON-H25	Hotel IP phone with 6 programmable keys, POE and 10/100 LAN and PC connections (custom decals sold separately FON- H25-DCL-CUST).
	FON-H25-DCL-CUST	Custom decal for FON-H25 phone - 50 pieces.
	FC-10-FFH25-247-02-DD	FortiCare Premium Support.
Softclient		
FortiVoice softclient	FVE-SCLIENT-10	License to add 10 FortiVoice softclients to FortiVoice Enterprise system.
	FVE-SCLIENT-100	License to add 100 FortiVoice softclients to FortiVoice Enterprise system.

NOTE: FortiFone products are subject to regional telecommunications regulations. Visit the FortiVoice Global Availability for Phone Systems and Phones datasheet for the list of countries in which FortiFone telephones are available.

FortiCare Support Service

FortiCare Support Services is per-device support services, and it provides customers access to over 1400 experts to ensure efficient and effective operations and maintenance of their Fortinet capabilities. Global technical support is offered 24×7 with flexible add-ons, including enhanced service level agreements (SLAs) and premium hardware replacement through 200+ incountry depots.



www.fortinet.com

Copyright © 2023 Fortinet, Inc. All rights reserved. Fortinet*, FortiGate*, FortiGate* and FortiGuard*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or momon law trademarks of Fortinet. All other products or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results. The internet is under ideal products and actual performance and other results. The internet is under ideal products and actual performance and other results. Nothing metric persestents any binding commitment by Fortinet, and Fortinet disclaims all warranies, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet. Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute darity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA (https://www.fortinet.com/content/dam/fortinet/assets/legal/EULA.pdf) and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy (https://secure.ethicspoint.com/domain/media/en/gu/19775/Whistleblower.Policy.pdf).